



1166 / 1266

1166 / 1266

Bluetooth Scanners

Wireless, comfortable, and easy to use, CipherLab Bluetooth scanners give you a flexible data-capture tool that makes work faster and more efficient. CipherLab 1166 and 1266 Bluetooth scanners give workers greater mobility and freedom to go where the work is and get it done fast.

1166 / 1266

Bluetooth Scanners



Keep business moving

Improve speed and accuracy of inventory and manufacturing functions, including picking and packing, WIP, and paperless accounting. Wireless scanning with the 1166/1266 Bluetooth scanners keeps parts and processes on track. In the warehouse or on the manufacturing line, these scanners travel with you, capturing critical data. Even if the scanner is outside its extended 100-meter range, captured data is automatically uploaded to your server when connection with the host device is regained, giving near limitless flexibility with greater business accuracy.

Keep customers happy

Nobody likes waiting in line. CipherLab 1166/1266 Bluetooth Scanners let you take the scanner to the customer, speeding check-out for many products, especially bulky items. CipherLab Bluetooth scanners help speed customers on their way. And that makes everyone happy.

Improve patient care

Whether checking patients into the hospital, inventorying and distributing medications, or documenting doctors' rounds, our 1166/1266 Bluetooth scanners make it easier to get jobs done with greater accuracy and responsiveness. Instead of fitting daily processes to a technology, wireless Bluetooth connectivity gives caregivers greater mobility and flexibility to adapt the scanner to the way they work—enhancing communications between doctors, nurses, labs, and pharmacies.

Smart solutions with immediate payoffs

Streamline tracking and delivery

To improve tracking and delivery of mail and goods, Brazil's ECT, the largest post office in Latin America, uses CipherLab 1166 scanners.



ECT combined 4,010 CipherLab 1166 scanners with middleware developed by Compex to scan packages as they arrive and depart ECT offices. Working up to 24 hours a day, the scanners wirelessly communicate with ECT databases. Updated with incoming and outgoing activities, ECT maintains a high level of service quality and customer trust with improved operations management.

Improve stocking while boosting image

CERRUTI 1881, a leading international designer and retailer of fashion products, chose CipherLab 1266 scanners for its POS systems.



CipherLab 1266 scanners were installed at all its 300 point-of-sale terminals to help CERRUTI 1881 deliver a modern, state-of-the-art retail image to its customers while streamlining stocking control. The 1266 scanners help ensure store shelves stay stocked with the upscale products customers demand most.

Real-time stocking update

ASDA/Wal-Mart Stores in UK use CipherLab 1266 scanners to manage CD and DVD stocking.



After searching worldwide for scanners with the right communications capabilities for a new replenishment system for CDs and DVDs, ASDA/Wal-Mart purchased 200 Bluetooth 1266 scanners from a main CipherLab distributor in the UK. Store personnel read product barcodes with 1266 scanners and stocking requirements are instantly relayed via Bluetooth to smart mobile phones or PDAs, supplying real-time stocking data to the distribution center.

1166/1266

Bluetooth Scanners



A powerful scanner without limitations

NEVER MISS A BARCODE

With a range of 100 meters, the 1166 and 1266 can go a long way to wirelessly scan barcodes. Out of range? The reserve buffer automatically captures up to 256 scans and transmits them to your host device when back in range. Or work offline with preset batch mode and store up to 8,192 scans in flash data memory for upload later.

ALWAYS AVAILABLE TO WORK WITH YOU

CipherLab's energy-efficient design keeps our Bluetooth scanners working long hours—up to 45 hours or 32,000 scans on a single charge—staying as productive as your workers.

SHARE A CRADLE FOR COST EFFICIENCY

The 3666 cradle communicates with up to seven scanners, adding full Bluetooth capabilities to any server. This allows you to run multiple simultaneous operations without the added expense of additional cradles, optimizing your low total cost of ownership on an already flexible, durable scanner.

BUILT FOR RUGGED ENVIRONMENTS

Our Bluetooth scanners were designed to handle the harsh environments found in manufacturing, warehouses, and other hard-working facilities. Built of sturdy plastic and rubber, they withstand multiple drops onto concrete and operate in a wide range of temperatures and humidity.

SMART TECHNOLOGY

The 1166 and 1266 scanners support multiple interfaces besides Bluetooth to upload data, including RS-232, keyboard wedge, virtual COM, and human interface device (HID). They communicate with any host with a Bluetooth profile, giving you maximum flexibility to communicate with notebook PCs, printers, PDAs, and other devices—even mobile phones.



CipherLab—the Bluetooth scanner pioneer

CipherLab pioneered Bluetooth scanners, enabling users to work smarter and faster. With such an innovative breakthrough in scanning, users have been able to serve retail customers quicker, improve productivity in manufacturing environments, and help raise the level of patient care and hospital efficiency.

CipherLab's early introduction of Bluetooth scanners is another example of the company's continuing industry leadership with high-quality, rugged scanners that are designed to meet the specific needs of users in a wide range of environments. Our products are recognized around the world for their work and business value:

- ▶ **RANKED IN TOP FIVE BY RESELLERS** In 2006, *Vertical Systems Reseller*, a leading United States AIDC magazine, rated CipherLab among the top five scanner manufacturers.
- ▶ **RATED IN TOP THREE WORLDWIDE** In a *Venture Development Corporation* 2006 survey, end users ranked CipherLab in the top three best handheld scanners.
- ▶ **CIPHERLAB SCANNER USED BY MILLIONS WORLDWIDE** CipherLab scanners lead worldwide sales with a reputation for quality and reliability.

CIPHERLAB PRODUCTS ARE VALUED WORLDWIDE FOR ENGINEERING EXCELLENCE. OUR **BLUETOOTH SCANNERS** ARE ANOTHER EXAMPLE OF TECHNICAL INNOVATION AND QUALITY VALUE FOR TODAY'S AIDC SOLUTIONS.

SPECIFICATIONS

1166 / 1266

Bluetooth Scanners



1166

1266

RF Communication	Module	Bluetooth Class 2 (2.4 GHz) Version 1.2	
	Coverage (line of sight)	100 m / 328 ft.	
	Standard profile	SPP, HID or through 3666 base	
Performance	Optical sensor	3648 pixels	Laser
	Light source	Red LED 630 nm	Visible laser diode at 650 ± 15 nm
	Resolution	4 mil	3 mil
	Depth of field (depends on barcode resolution)	2 to 33 cm / 0.8 to 13 in.	1 to 63 cm / 0.4 to 24.8 in.
	Scanning angle	Pitch ± 70° Skew ± 70°	
	Scan rate	100 scans/second	
	PCS	Minimum 45%	
	Interfaces supported	RS232 / Keyboard wedge / USB HID	
	Barcodes supported	Codabar, Code 39, Code 93, Code 128, Industrial 2 of 5, Interleave 2 of 5, Matrix 2 of 5, MSI, Pharmacodes, Plessey, RSS14, Telepen, UPC/EAN, and more	
	Programmable features	Data editing, interface selection, symbology configuration	
	Language support	US and UK English, French, Italian, Belgian, Norwegian/Swedish, Spanish, Portuguese, German	
Physical	Weight (including battery)	200 g / 7.1 oz.	210 g / 7.4 oz.
	Color	Dark grey	
	Switch	Micro switch	
Electrical	Voltage	DC 5 V ±5% (with adapter) / 3.7 V 700 mAh Li-ion battery	
	Power Consumption Standby-linked / Scanning / Maximum	12 mA / 170 mA / 250 mA	12 mA / 85 mA / 150 mA
User Environment	Temperature	Operating: 0°C to 50°C / 32°F to 122°F Storage: -20°C to 60°C / -4°F to 140°F	
	Humidity (non-condensing)	Operating: 10% to 90% Storage: 0% to 95%	
	Impact resistance	Withstands multiple 1.2 m (3.94 ft.) drops onto concrete	
	Electrostatic discharge	Conforms to ±15 kV air discharge and ±8 kV contact discharge	
	EMC regulation	FCC / CE / C-tick / BSMI / MIC / VCCI	
Configuration	Setup options include Windows®-based ScanManager software (included), by direct connection or printing out barcode settings		
Accessories	Charging cradle and charging/communications cradle		
Warranty	3 year (1266 engine is 1 year)		

Charging/Communications Cradle
 Simultaneously communicates with up to seven 1166/1266 scanners



©2008 CipherLab Co., Ltd. All specifications are subject to change without notice. All rights reserved.



HEADQUARTERS

CipherLab Co., Ltd.
 12F, 333 Dunhua S. Rd., Sec. 2
 Taipei, Taiwan 106
 Tel +886 2 8647 1166
 Fax +886 2 8732 3300
 www.cipherlab.com

CipherLab China

Suite 1305, 1065A, Jaojiabang Rd.
 Xuhui District, Shanghai,
 China 200030
 Tel +86 21 3368 0288
 Fax +86 21 3368 0286

CipherLab USA

2552 Summit Avenue
 Plano, Texas USA 75074
 Tel +1 469 241 9779
 Toll Free 888 300 9779
 Fax +1 469 241 0697

CipherLab EMEA

Airedale House
 Clayton Wood Rise
 Leeds, LS16 6RF, UK
 Tel +44 113 274 7823
 Fax +44 113 274 7822

CipherLab Central Europe

Willicher Damm 143-145
 41066 Mönchengladbach
 Germany
 Tel +49 2161 56230 0
 Fax +49 2161 56230 22